



ELSEVIER

Linear Algebra and its Applications 346 (2002) 293

LINEAR ALGEBRA
AND ITS
APPLICATIONS

www.elsevier.com/locate/laa

Author index to volume 346 (2002)

- Beasley, L., see Stuart, J.L. 346 (2002) 261
- Behn, A. and A.B. Van der Merwe, An algorithmic version of the theorem by Latimer and MacDuffee for 2×2 integral matrices 346 (2002) 1
- Bolotnikov, V., A boundary Nevanlinna–Pick problem for a class of analytic matrix-valued functions in the unit ball 346 (2002) 239
- Carriegos, M., J.A. Hermida-Alonso and T. Sánchez-Giralda, Pole-shifting for linear systems over commutative rings 346 (2002) 97
- Castillo, E., F. Jubete, R.E. Pruneda and C. Solares, Obtaining simultaneous solutions of linear subsystems of inequalities and duals 346 (2002) 131
- Chooi, W.L. and M.H. Lim, Coherence invariant mappings on block triangular matrix spaces 346 (2002) 199
- Favati, P., G. Lotti and O. Menchi, A polynomial fit preconditioner for band Toeplitz matrices in image reconstruction 346 (2002) 177
- Ferrer, J., see Puerta, X. 346 (2002) 27
- Fritzsche, B., B. Kirstein and M. Mosch, On block completion problems for Arov-normalized $j_{qq} - J_q$ -elementary factors 346 (2002) 273
- Hermida-Alonso, J.A., see Carriegos, M. 346 (2002) 97
- Jubete, F., see Castillo, E. 346 (2002) 131
- Kirstein, B., see Fritzsche, B. 346 (2002) 273
- Kokol-Bukovšek, D., More on matrix semigroup homomorphisms 346 (2002) 73
- Lim, M.H., see Chooi, W.L. 346 (2002) 199
- Lotti, G., see Favati, P. 346 (2002) 177
- Menchi, O., see Favati, P. 346 (2002) 177
- Mosch, M., see Fritzsche, B. 346 (2002) 273
- Olesky, D.D., A. Roy and P. van den Driessche, Maximal graphs and graphs with maximal spectral radius 346 (2002) 109
- Pittenger, A.O. and M.H. Rubin, Convexity and the separability problem of quantum mechanical density matrices 346 (2002) 47
- Pruneda, R.E., see Castillo, E. 346 (2002) 131
- Przybylska, M., On matrix differential equations and abstract FG algorithm 346 (2002) 155
- Puerta, F., see Puerta, X. 346 (2002) 27
- Puerta, X., F. Puerta and J. Ferrer, Global reduction to the Kronecker canonical form of a C^r -family of time-invariant linear systems 346 (2002) 27
- Ran, A.C.M. and M.C.B. Reurings, On the nonlinear matrix equation $X + A^* \mathcal{F}(X)A = Q$: solutions and perturbation theory 346 (2002) 15
- Reurings, M.C.B., see Ran, A.C.M. 346 (2002) 15
- Roy, A., see Olesky, D.D. 346 (2002) 109
- Rubin, M.H., see Pittenger, A.O. 346 (2002) 47
- Sánchez-Giralda, T., see Carriegos, M. 346 (2002) 97
- Shader, B., see Stuart, J.L. 346 (2002) 261
- Solares, C., see Castillo, E. 346 (2002) 131
- Stuart, J.L., L. Beasley and B. Shader, Irreducible, pattern k -potent ray pattern matrices 346 (2002) 261
- van den Driessche, P., see Olesky, D.D. 346 (2002) 109
- Van der Merwe, A.B., see Behn, A. 346 (2002) 1



